

İkitelli OSB Deparko San. Sit. Hürriyet Bulvarı No:1/46-46/A
Kat 1 Basaksehir / İSTANBUL

Telefon : 90 – 212 - 675 05 39 pbx
Fax No : 90 – 212 - 675 08 02
Web : www.askimya.com
E-mail : info@askimya.com

Certificate No. : 13-M-233577
Total Page. :

Original

QUANTITY & QUALITY

Cargo : DEG
Location : M.P.C.
DATE : 14.07.2013
QUANTITY : 19.360 MT
CLIENT REF NO. : EMPC/00181/02
PACKING : BARREL

QUANTITY

THIS IS TO CERTIFY THAT THE ABOVE MENTIONED CARGO HAS BEEN STUFFED IN THE 1 TRUCK UNDER OUR SUPERVISION AND THE QUANTITY WAS DETERMINED BY MEANS OF TALLY, AMOUNTING TO 19.360 MT NET WEIGHTS BY OUR SURVEYORS.

QUALITY:

BEFORE LOADING THE CARGO IN THE CONTAINERS ANALYSIS OF THE CARGO WAS CARRIED OUT BY M.P.C LABORATORY.SO, ALL RESPONSIBILITY FOR ACCURACY OF THE RESULTS IS ON CHARGE OF M.P.C LABORATORY.

The result of which being shown as follows:

Lot No.: 9201

Property	Result	Unit	Method	SPEC
Appearance	Clear	-	Visual	Clear, Colorless
DEG	99.9	% (m/m)	100- Impurities	99.8 min
MEG	0.02	% (m/m)	ASTM E 202	0.05 max
TEG	0.04	% (m/m)	ASTM E 202	0.05 max
Water	0.04	% (m/m)	ASTM E 202	0.05 max
Color(Pt-Co)	3	-	ASTM D 1209	10 max
Specific Gravity 20/20°C	1.1182	-	ASTM D 4052	1.1176-1.1195
Boiling range at 0.1013 MP a 5% vol	245	°C	ASTM D E 202	min. 242
Boiling range at 0.1013 MP a 95% vol	246	°C	ASTM D E 202	max. 250
Acidity (as acetic acid)	4	mg/Kg	ASTM D 1613	max. 50
Ash	<10	mg/Kg	ASTM D 482	50 max